

### Amendments to the Claims

1. (Original) A biodegradable laminate sheet having a non-stretched polylactic acid-family resin layer of which the crystallinity is 20% or less, and a layer comprising a biodegradable resin other than a polylactic acid-family resin.
2. (Original) A biodegradable laminate sheet as claimed in claim 1 wherein said biodegradable resin other than a polylactic acid-family resin is a biodegradable aliphatic polyester other than a polylactic acid-family resin having the glass transition temperature of 0°C or less and the melting point of 80°C or over.
3. (Currently amended) A biodegradable laminate sheet as claimed in claim 1 ~~or 2~~ which is formed of at least three layers, wherein layers comprising said biodegradable resin other than a polylactic acid-family resin form outer layers, and wherein said non-stretched polylactic acid-family resin is at least one layer sandwiched between said outer layers.
4. (Currently amended) A biodegradable laminate sheet as claimed in claim 1 ~~or 2~~ which is formed of at least three layers, wherein said non-stretched polylactic acid-family resin is outer layers, and wherein the layer comprising said biodegradable resin other than a polylactic acid-family resin is at least one layer sandwiched between said outer layers.
5. (Currently amended) A biodegradable laminate sheet as claimed in ~~any of claims 1-4~~ claim 1 wherein said non-stretched polylactic acid-family resin and the layer comprising the biodegradable resin other than a polylactic acid-family resin are ~~laminated~~ laminated by co-extrusion.
6. (Currently amended) A method of forming a biodegradable laminate sheet wherein a biodegradable laminate sheet as claimed in ~~any of claims 1-5~~ claim 1 is formed at a temperature not

less than the melting point of said biodegradable resin other than a polylactic acid-family resin or more.

7. (Currently amended) A formed body using a biodegradable laminate sheet as claimed in ~~any of claims 1-5~~ claim 1.

8. (New) A biodegradable laminate sheet as claimed in claim 2 which is formed of at least three layers, wherein layers comprising said biodegradable resin other than a polylactic acid-family resin form outer layers, and wherein said non-stretched polylactic acid-family resin is at least one layer sandwiched between said outer layers.

9. (New) A biodegradable laminate sheet as claimed in claim 2 which is formed of at least three layers, wherein said non-stretched polylactic acid-family resin is outer layers, and wherein the layer comprising said biodegradable resin other than a polylactic acid-family resin is at least one layer sandwiched between said outer layers.

10. (New) A biodegradable laminate sheet as claimed in claim 2 wherein said non-stretched polylactic acid-family resin and the layer comprising the biodegradable resin other than a polylactic acid-family resin are laminated by co-extrusion.

11. (New) A biodegradable laminate sheet as claimed in claim 3 wherein said non-stretched polylactic acid-family resin and the layer comprising the biodegradable resin other than a polylactic acid-family resin are laminated by co-extrusion.

12. (New) A biodegradable laminate sheet as claimed in claim 4 wherein said non-stretched polylactic acid-family resin and the layer comprising the biodegradable resin other than a polylactic acid-family resin are laminated by co-extrusion.

13. (New) A method of forming a biodegradable laminate sheet wherein a biodegradable laminate sheet as claimed in claim 2 is formed at a temperature not less than the melting point of said biodegradable resin other than a polylactic acid-family resin or more.
14. (New) A method of forming a biodegradable laminate sheet wherein a biodegradable laminate sheet as claimed in claim 3 is formed at a temperature not less than the melting point of said biodegradable resin other than a polylactic acid-family resin or more.
15. (New) A method of forming a biodegradable laminate sheet wherein a biodegradable laminate sheet as claimed in claim 4 is formed at a temperature not less than the melting point of said biodegradable resin other than a polylactic acid-family resin or more.
16. (New) A method of forming a biodegradable laminate sheet wherein a biodegradable laminate sheet as claimed in claim 5 is formed at a temperature not less than the melting point of said biodegradable resin other than a polylactic acid-family resin or more.
17. (New) A formed body using a biodegradable laminate sheet as claimed in claim 2.
18. (New) A formed body using a biodegradable laminate sheet as claimed in claim 3.
19. (New) A formed body using a biodegradable laminate sheet as claimed in claim 4.
20. (New) A formed body using a biodegradable laminate sheet as claimed in claim 5.